

Version 4.0

Revision Date 2015/07/29

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name	: PRODURO ^{TM/MC} TO-4 ⁺ 10W
Product code	: PD410WP5R, PD410WP20, PD410WICT, PD410WIBC, PD410WDRR, PD410WDRM, PD410WDCT, PD410W, PD410WBLK

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the	:	Multipurpose transmission, hydraulic, wet brake and final drive
Substance/Mixture		fluids intended for use where Caterpillar TO-4 quality oils are
		recommended.

1.3 Details of the supplier of the safety data sheet

	Petro-Canada Europe Lubricants Limited Wellington House, Starley Way Birmingham International Park Solihull B37 7HB United Kingdom
E-mail address of person responsible for the SDS	: EUSDS@suncor.com

1.4 Emergency telephone number

Emergency telephone	:	Suncor Energy: +1 403-296-3000;
number		Poison Control Centre: Consult local telephone directory for
		emergency number(s).

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

Classification (67/548/EEC, 1999/45/EC)

Not a hazardous substance or mixture.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) Not a hazardous substance or mixture.



Version 4.0

Revision Date 2015/07/29

Additional Labelling:

EUH208May produce an allergic reaction.EUH210Safety data sheet available on request.Contains: Benzene, polypropene derivatives, sulfonated, calcium salts

2.3 Other hazards

None known.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous components

Chemical Name	CAS-No. EC-No. Registration number	Classification (67/548/EEC)	Classification (REGULATION (EC) No 1272/2008)	Concentration (%)
lubricating oils (petroleum), C15-30, hydrotreated neutral oil- based	72623-86-0 276-737-9 01- 2119474878- 16-0001		Asp. Tox. 1;	70 - 90
distillates (petroleum), hydrotreated heavy paraffinic	64742-54-7 265-157-1 01- 2119484627- 25-0055		Asp. Tox. 1; H304	50 - 70
zinc bis[bis(tetrapropylenep henyl)] bis(hydrogen dithiophosphate)	11059-65-7 234-277-6	R52/53	Aquatic Chronic 3; H412	1 - 2.5
Mineral oil			Asp. Tox. 1; H304	1 - 10

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

If inhaled

: Move to fresh air. Artificial respiration and/or oxygen may be necessary. Seek medical advice.



000003000493

Version 4.0	Revision Date 2015/07/29	Print Date 2015/07/29
In case of skin contact	 In case of contact, immediately flush for at least 15 minutes while removin and shoes. Wash skin thoroughly with soap and skin cleanser. Wash clothing before reuse. 	ig contaminated clothing
In case of eye contact	 Seek medical advice. Remove contact lenses. Rinse immediately with plenty of wat for at least 15 minutes. Obtain medical attention. 	er, also under the eyelids,
If swallowed	 Rinse mouth with water. DO NOT induce vomiting unless dire physician or poison control center. Never give anything by mouth to an Seek medical advice. 	-

4.2 Most important symptoms and effects, both acute and delayed

Risks	:	First aider needs to	protect himself.

4.3 Indication of any immediate medical attention and special treatment needed

SECTION 5: Firefighting measures

5.1	Extinguishing media		
	Suitable extinguishing media	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
	Unsuitable extinguishing media	:	No information available.
5.2	Special hazards arising from t	he	substance or mixture
	Specific hazards during firefighting	:	Cool closed containers exposed to fire with water spray.
	Hazardous combustion products	:	Carbon oxides (CO, CO2), nitrogen oxides (NOx), sulphur oxides (SOx), phosphorus oxides (POx), calcium oxides (CaOx), zinc oxides (ZnOx), aldehydes, ketones, smoke and irritating vapours as products of incomplete combustion.
5.3	Advice for firefighters		
	Further information	:	Prevent fire extinguishing water from contaminating surface water or the ground water system.



Version 4.0

Revision Date 2015/07/29

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	: Use personal protective equipment.
	Ensure adequate ventilation.
	Evacuate personnel to safe areas.
	Material can create slippery conditions.
	Mark the contaminated area with signs and prevent access to unauthorized personnel.
	Only qualified personnel equipped with suitable protective equipment may intervene.

6.2 Environmental precautions

Environmental precautions	: Do not allow uncontrolled discharge of product into the
	environment.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	: Prevent further leakage or spillage if safe to do so.
	Remove all sources of ignition.
	Soak up with inert absorbent material.
	Non-sparking tools should be used.
	Ensure adequate ventilation.
	Contact the proper local authorities.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Use only with adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Avoid contact with skin, eyes and clothing. Do not ingest. Keep away from heat and sources of ignition. Keep container closed when not in use.
Advice on protection against fire and explosion	:	None known.
Hygiene measures	:	Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash face, hands and any



000003000493

Version 4.0

Revision Date 2015/07/29

exposed skin thoroughly after handling.

7.2 Conditions for safe storage, including any incompatibilities

	Store in original container. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Keep in a dry, cool and well-ventilated place. Keep in properly labelled containers. To maintain product quality, do not store in heat or direct sunlight.
--	---

7.3 Specific end use(s)

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

8.2 Exposure controls

Engineering measures

No special ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Personal protective equipment

Eye protection	:	Wear face-shield and protective suit for abnormal processing problems.
Hand protection Material	:	neoprene, nitrile, polyvinyl alcohol (PVA), Viton(R).
Remarks	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Skin and body protection	:	Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.
Respiratory protection	:	Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.
Filter type	:	organic vapour filter
Protective measures	:	Wash contaminated clothing before re-use. No special protective equipment required.



Version 4.0

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	: viscous liquid	
Colour	: Light amber.	
Odour	: Hydrocarbon.	
Odour Threshold	: No data available	
рН	: No data available	
Pour point	: -33 °C (-27 °F)	
Boiling point/boiling range	: No data available	
Flash point	: 239 °C (462 °F) Method: Cleveland open cup	
Fire Point	: No data available	
Auto-Ignition Temperature	: No data available	
Evaporation rate	: No data available	
Flammability (solid, gas)	: Low fire hazard. This material must be heated before ignition will occur.	า
Upper explosion limit	: No data available	
Lower explosion limit	: No data available	
Vapour pressure	: No data available	
Relative vapour density	: No data available	
Density	: 0.856 kg/l (15 °C / 59 °F)	
Solubility(ies)		
Water solubility	: insoluble	
Partition coefficient: n- octanol/water	: No data available	
Viscosity		
Viscosity, kinematic	: 35.38 cSt (40 °C / 104 °F)	
	6.28 cSt (100 °C / 212 °F)	
Explosive properties	: Do not pressurise, cut, weld, braze, solder, drill, grind or expose containers to heat or sources of ignition.	

9.2 Other information



000003000493

Version 4.0

Revision Date 2015/07/29

No data available

SECTION 10: Stability and reactivity				
10.1 Reactivity				
10.2 Chemical stability				
10.3 Possibility of hazardous reac	tions			
Hazardous reactions	: Hazardous polymerisation does not occur. Stable under normal conditions.			
10.4 Conditions to avoid				
Conditions to avoid	: No data available			
10.5 Incompatible materials				
Materials to avoid	: Reactive with acids, alkalis and oxidising agents.			
10.6 Hazardous decomposition products				
Hazardous decomposition products	 May release COx, SOx, NOx, H2S, POx, ZnOx, CaOx, asphyxiants, methacrylate monomers, aldehydes, alkyl mercaptans, sulfides, metal oxides, smoke and irritating vapours when heated to decomposition. 			

SECTION 11: Toxicological information

11.1 Information on toxicological effects			
Information on likely routes of exposure	:	Eye contact Ingestion Inhalation Skin contact	
Acute toxicity			
Product:			
Acute oral toxicity	:	Remarks: No data available	
Acute inhalation toxicity	:	Remarks: No data available	
Acute dermal toxicity	:	Remarks: No data available	

Components:

lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based:



000003000493

Version 4.0	Revision Date 2015/07/29	Print Date 2015/07/29
Acute oral toxicity	: LD50 Rat: > 5,000 mg/kg,	
Acute inhalation toxicity	: LC50 Rat: > 5.2 mg/l Exposure time: 4 h Test atmosphere: dust/mist	
Acute dermal toxicity	: LD50 Rabbit: > 2,000 mg/kg,	
Skin corrosion/irritation		
Product:		
Remarks: No data available		
Components:		
lubricating oils (petroleum Result: No skin irritation	n), C15-30, hydrotreated neutral oil-based:	
Serious eye damage/eye irritat	ion	
Product:		
Remarks: No data available		
Components:		
lubricating oils (petroleum Result: No eye irritation	n), C15-30, hydrotreated neutral oil-based:	
Respiratory or skin sensitisation	on	
No data available		
Germ cell mutagenicity		
No data available		
Carcinogenicity		
No data available		
Reproductive toxicity		
No data available		
STOT - single exposure		
No data available		
STOT - repeated exposure		
No data available		
Aspiration toxicity		
No data available		_
Internet: lubricante netro-canada ca/	mede	Dogo: 9 / 11



Version 4.0

SECTION 12: Ecological information

12.1 Toxicity

Product:	
Toxicity to fish	: Remarks: No data available
Toxicity to daphnia and other aquatic invertebrates	: Remarks: No data available
Toxicity to algae	: Remarks: No data available
Toxicity to bacteria	: Remarks: No data available

12.2 Persistence and degradability

Product:	
Biodegradability	: Remarks: No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Not relevant

12.6 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

:	The product should not be allowed to enter drains, water courses or the soil.
	Offer surplus and non-recyclable solutions to a licensed
	disposal company. Waste must be classified and labelled prior to recycling or
	disposal.
	Send to a licensed waste management company.
	Dispose of as hazardous waste in compliance with local and national regulations.
	Dispose of product residue in accordance with the instructions
	of the person responsible for waste disposal.



Version 4.0

Revision Date 2015/07/29

SECTION 14: Transport information

International Regulation

IATA-DGR Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

49 CFR

Not regulated as a dangerous good **TDG** Not regulated as a dangerous good

Special precautions for user

Not applicable

SECTION 15: Regulatory information

15.1	•		al regulations/legislation specific for the substance or mixture WGK 2 water endangering
	The components of this prod	JC	t are reported in the following inventories:
	DSL	:	On the inventory, or in compliance with the inventory
	TSCA	:	All chemical substances in this product are either listed on the TSCA Inventory or are in compliance with a TSCA Inventory exemption.
	IECSC	:	On the inventory, or in compliance with the inventory
	EINECS	:	On the inventory, or in compliance with the inventory

15.2 Chemical Safety Assessment

SECTION 16: Other information

Full text of R-Phrases

R52/53

: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.



Version 4.0

Revision Date 2015/07/29

Print Date 2015/07/29

Full text of H-Statements H304 H412	 May be fatal if swallowed and enters airways. Harmful to aquatic life with long lasting effects.
Full text of other abbreviation Aquatic Chronic Asp. Tox.	ns : Chronic aquatic toxicity : Aspiration hazard
For Copy of (M)SDS	: Internet: lubricants.petro-canada.ca/msds Europe, telephone: 00-800-7387-6000 For Product Safety Information: 1 905-804-4752

Prepared by : Product Safety: +1 905-804-4752

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.