

that excites

## NISSAN MOTOR OIL SEMI SYNTHETIC 10W-40 A3/B4

High Performance Semi Synthetic Technology Multipurpose Gasoline/Petrol and Diesel (non DPF) Engine Oil

USES	<ul> <li>Recommended for Nissan Gasoline/Petrol and Diesel (non DPF) Engines requiring an SAE 10W-40 motor oil</li> <li>Specially adapted for modern Nissan Direct Injection Diesel (non DPF) Engines including Common Rail variants</li> <li>Designed for use in demanding driving conditions including city, country, motorway and high ambient temperatures</li> <li>Engineered for use in all climates</li> <li>Refer to your vehicle's Owner's Manual or Nissan Workshop Manual for refill and maintenance schedules</li> </ul>				
PERFORMANCE	<ul> <li>NISSAN MOTOR OIL SEMI SYNTHETIC 10W-40 A3/B4 meets or exceeds the requirements of:</li> <li>ACEA A3/B4</li> <li>API SL/CF</li> </ul>				
CUSTOMER BENEFITS	Optimal engine cleanliness				
	Exceptional thermal stability and oxidation resistance				
		Sustained engine component protection			
		Optimised fuel economy performance			
	Reduced oil volatility for minimal oil consumption				
CHARACTERISTICS					
	D. 11 1 15 20	Method	Units	SAE Grade 10W-40	
	Density at 15 °C	ASTM D1298	Kg/m <sup>3</sup>	873	
	Kinematic viscosity at 40°C	ASTM D445	mm²/s	96.8	
	Kinematic viscosity at 100 °C	ASTM D445	mm²/s	14.8	
	Viscosity Index	ASTM D2270		160	
	Pour Point Flash Point	ASTM D97 ASTM D92	℃ ℃	-24 232	
				202	

This lubricant, when used in accordance with our recommendations and for the application for which it is intended, does not constitute a special hazard. A safety data file conforming to the requirements of current EC legislation is available from your local trade consultant.

The typical characteristics mentioned represent mean values