# SAFETY DATA SHEET



## Section 1 - Identification of The Material and Supplier

Product Name:	NISSAN MOTOR OIL FULL-SYNTHETIC 5W-30 C4 DPF	
Product Use:	Motor oil.	
Supplier:	Total Oil Australia Pty Ltd (ABN 15 149 501 922)	
	Suite 2, 415 Riversdale Road, Hawthorn East	
	Victoria 3123	
	AUSTRALIA	
	Phone: +61 (03) 9861 8600	
	Fax: +61 (03) 9882 0447	
EMERGENCY TELEPHON	E	
NUMBER (CHEMTREC):	+61 2 9037 2994 (Australia), +64 9 801 0034 (New Zealand)	
	Nissan Motor Co. (Australia) Pty Ltd (ABN 54 004 663 156) 260- 270 Frankston-Dandenong Road, Dandenong South, Victoria, 3175, Australia	
Chemical nature:	Product containing mineral oil with less than 3% DMSO extract as measured by IP 346.	
Creation Date:	April, 2016	
This version issued:	June, 2016 and is valid for 5 years from this date.	
Section 2 - Hazards Identification		

## **Statement of Hazardous Nature**

This product is classified as: Not classified as hazardous according to the criteria of SWA.

Not a Dangerous Good according to Australian Dangerous Goods (ADG) Code, IATA and IMDG/IMSBC criteria.

#### SUSMP Classification: None allocated.

**ADG Classification:** None allocated. Not a Dangerous Good under the ADG Code.

UN Number: None allocated

# GHS Signal word: NONE. Not hazardous.

#### PREVENTION

P281: Use personal protective equipment as required.

#### RESPONSE

P350: Gently wash with plenty of soap and water.

P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P333+P313: If skin irritation or rash occurs: Get medical advice.

P337+P313: If eye irritation persists: Get medical advice.

# P391: Collect spillage.

P370+P378: In case of fire, use carbon dioxide, dry chemical, foam.

#### STORAGE

P402+P404: Store in a dry place. Store in a closed container.

#### DISPOSAL

P501: Dispose of contents and containers to landfill.

## Statement of Hazardous Nature (New Zealand)

No group standard applies.

No control applies

**DG Classification:** Classified as not a Dangerous Good for transport in accordance with the Land Transport Rule Dangerous Goods 2005 and NZS 5433:2007.

## **Emergency Overview**

Physical Description & Colour: Dark orange liquid. Odour: Characteristic odour.

#### Issued by: Total Oil Australia Pty Ltd

Phone: +61 (03) 9861 8600

Major Health Hazards: no significant risk factors have been found for this product.

Section 3 - Composition/Information on Ingredients					
Ingredients	CAS No	Conc,%	TWA (mg/m <sup>3</sup> )	STEL (mg/m <sup>3</sup> )	
Distillates (petroleum), hydrotreated heavy paraffinic	64742-54-7	60-70	not set	not set	
Phenol, dodecyl-, branched	121158-58-5	0.1-0.25	not set	not set	
Diphenylamine	122-39-4	0.1-0.25	not set	not set	
N,N-bis(2-ethylhexyl)-((1,2,4-triazol-1-yl)methyl)amine	91273-04-0	0.1-0.25	not set	not set	

This is a commercial product whose exact ratio of components may vary slightly. Minor quantities of other non hazardous ingredients are also possible.

The SWA TWA exposure value is the average airborne concentration of a particular substance when calculated over a normal 8 hour working day for a 5 day working week. The STEL (Short Term Exposure Limit) is an exposure value that may be equalled (but should not be exceeded) for no longer than 15 minutes and should not be repeated more than 4 times per day. There should be at least 60 minutes between successive exposures at the STEL. The term "peak "is used when the TWA limit, because of the rapid action of the substance, should never be exceeded, even briefly.

## **Section 4 - First Aid Measures**

#### **General Information:**

You should call The Poisons Information Centre if you feel that you may have been poisoned, burned or irritated by this product. The number is 13 1126 from anywhere in Australia (0800 764 766 in New Zealand) and is available at all times. Have this SDS with you when you call.

**Inhalation:** First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor. **Skin Contact:** Gently blot away excess liquid. Wash gently and thoroughly with water (use non-abrasive soap if necessary) for 5 minutes or until chemical is removed.

**Eye Contact:** Quickly and gently blot material from eyes. No effects expected. If irritation does occur, flush contaminated eye(s) with lukewarm, gently flowing water for 5 minutes or until the product is removed. Obtain medical advice if irritation becomes painful or lasts more than a few minutes. Take special care if exposed person is wearing contact lenses.

**Ingestion:** If product is swallowed or gets in mouth, do NOT induce vomiting; wash mouth with water and give some water to drink. If symptoms develop, or if in doubt contact a Poisons Information Centre or a doctor.

# **Section 5 - Fire Fighting Measures**

**Fire and Explosion Hazards**: The major hazard in fires is usually inhalation of heated and toxic or oxygen deficient (or both), fire gases. This product is classified as a C2 combustible product. There is little risk of an explosion from this product if commercial quantities are involved in a fire. Violent steam generation or eruption may occur upon application of direct water stream on hot liquids. Vapours from this product are heavier than air and may accumulate in sumps, pits and other low-lying spaces, forming potentially explosive mixtures. They may also flash back considerable distances.

Fire decomposition products from this product may be toxic if inhaled. Take appropriate protective measures. **Extinguishing Media:** In case of fire, use carbon dioxide, dry chemical, foam.

**Fire Fighting:** If a significant quantity of this product is involved in a fire, call the fire brigade. Cool closed, undamaged containers exposed to fire with water spray.

Flash point:	240°C (ASTM D92)
Upper Flammability Limit:	No data.
Lower Flammability Limit:	No data.
Autoignition temperature:	No data.
Flammability Class:	Not flammable (GHS); C2 combustible (AS 1940)

## **Section 6 - Accidental Release Measures**

**Accidental release:** Minor spills do not normally need any special cleanup measures. In the event of a major spill, prevent spillage from entering drains or water courses. As a minimum, wear overalls, goggles and gloves. Suitable materials for protective clothing include Nitrile. Eye/face protective equipment should comprise as a minimum, protective goggles. If there is a significant chance that vapours or mists are likely to build up in the cleanup area, we recommend that you use a respirator. Usually, no respirator is necessary when using this product. However, if you have any doubts consult the Australian Standard mentioned below (section 8).

Stop leak if safe to do so, and contain spill. Absorb onto sand, vermiculite or other suitable absorbent material. If spill is too large or if absorbent material is not available, try to create a dike to stop material spreading or going into drains or waterways. Sweep up and shovel or collect recoverable product into labelled containers for recycling or salvage, and dispose of promptly. Can be slippery on floors, especially when wet. Recycle containers wherever possible after

## Issued by: Total Oil Australia Pty Ltd

#### Phone: +61 (03) 9861 8600

#### Product Name: NISSAN MOTOR OIL FULL-SYNTHETIC 5W-30 C4 DPF Page: 3 of 6 This version issued: June, 2016

STEL (mg/m<sup>3</sup>)

careful cleaning. After spills, wash area preventing runoff from entering drains. If a significant quantity of material enters drains, advise emergency services. This material may be suitable for approved landfill. Ensure legality of disposal by consulting regulations prior to disposal. Thoroughly launder protective clothing before storage or re-use. Advise laundry of nature of contamination when sending contaminated clothing to laundry.

# Section 7 - Handling and Storage

**Handling:** Keep exposure to this product to a minimum, and minimise the quantities kept in work areas. Check Section 8 of this SDS for details of personal protective measures, and make sure that those measures are followed. The measures detailed below under "Storage" should be followed during handling in order to minimise risks to persons using the product in the workplace. Also, avoid contact or contamination of product with incompatible materials listed in Section 10.

**Storage:** Note that this product is combustible and therefore, for Storage, meets the definition of Dangerous Goods in some states. If you store large quantities (tonnes) of such products, we suggest that you consult your state's Dangerous Goods authority in order to clarify your obligations regarding their storage.

Make sure that containers of this product are kept tightly closed. Keep containers dry and away from water. Make sure that the product does not come into contact with substances listed under "Incompatibilities" in Section 10. Check packaging - there may be further storage instructions on the label.

# Section 8 - Exposure Controls and Personal Protection

The following Australian Standards will provide general advice regarding safety clothing and equipment:

Respiratory equipment: **AS/NZS 1715**, Protective Gloves: **AS 2161**, Occupational Protective Clothing: AS/NZS 4501 set 2008, Industrial Eye Protection: **AS1336** and **AS/NZS 1337**, Occupational Protective Footwear: **AS/NZS2210**.

## SWA Exposure Limits TWA (mg/m<sup>3</sup>)

Exposure limits have not been established by SWA for this product.

No special equipment is usually needed when occasionally handling small quantities. The following instructions are for bulk handling or where regular exposure in an occupational setting occurs without proper containment systems. **Ventilation:** No special ventilation requirements are normally necessary for this product. However make sure that the work environment remains clean and that vapours and mists are minimised.

**Eye Protection:** Eye protection such as protective glasses or goggles is recommended when this product is being used.

**Skin Protection:** You should avoid contact even with mild skin irritants. Therefore you should wear suitable impervious elbow-length gloves and facial protection when handling this product. See below for suitable material types.

**Protective Material Types:** We suggest that protective clothing be made from the following materials: nitrile. **Respirator:** Usually, no respirator is necessary when using this product. However, if you have any doubts consult the Australian Standard mentioned above.

Safety deluge showers should, if practical, be provided near to where this product is being handled commercially.

# **Section 9 - Physical and Chemical Properties:**

Physical Description & colour:	Dark orange liquid.	
Odour:	Characteristic odour.	
Boiling Point:	Not available.	
Freezing/Melting Point:	No specific data. Liquid at normal temperatures.	
Volatiles:	Nil at 100°C.	
Vapour Pressure:	Nil at normal ambient temperatures.	
Vapour Density:	No data.	
Specific Gravity:	0.8516 at 15°C (ASTM D4052)	
Water Solubility:	Insoluble.	
pH:	No data.	
Volatility:	Nil at normal ambient temperatures.	
Odour Threshold:	No data.	
Evaporation Rate:	No data.	
Coeff Oil/water Distribution:	No data	
Viscosity:	67.27 mm <sup>2</sup> /s at 40°C; 11.80 mm <sup>2</sup> /s at 100°C (ASTM D445)	
Autoignition temp:	No data.	
Section 10 - Stability and Reactivity		

## Section 10 - Stability and Reactivity

**Reactivity:** This product is unlikely to react or decompose under normal storage conditions. However, if you have any doubts, contact the supplier for advice on shelf life properties.

## Issued by: Total Oil Australia Pty Ltd

Phone: +61 (03) 9861 8600

#### Product Name: NISSAN MOTOR OIL FULL-SYNTHETIC 5W-30 C4 DPF Page: 4 of 6 This version issued: June, 2016

**Conditions to Avoid:** Keep containers tightly closed. Containers should be kept dry. **Incompatibilities:** strong oxidising agents.

**Fire Decomposition:** Combustion forms carbon dioxide, and if incomplete, carbon monoxide and possibly smoke. Water is also formed. Carbon monoxide poisoning produces headache, weakness, nausea, dizziness, confusion, dimness of vision, disturbance of judgment, and unconsciousness followed by coma and death. **Polymerisation:** This product will not undergo polymerisation reactions.

# **Section 11 - Toxicological Information**

#### Local Effects: Target Organs:

There is no data to hand indicating any particular target organs.

Characteristic skin lesions (pimples) may develop following prolonged and repeated exposure (contact with contaminated clothing).

# **Classification of Hazardous Ingredients**

## Ingredient

Risk Phrases

No ingredient mentioned in the HSIS Database is present in this product at hazardous concentrations. Distillates (petroleum), hydrotreated heavy paraffinic LD<sub>50</sub> Oral, Rat >5000mg/kg  $LD_{50}$  Dermal, Rabbit = >5000mg/kg  $LC_{50}$  Inhalation, Rat = >5mg/L/4hr Phenol, dodecyl-, branched LD<sub>50</sub> 2700 mg/kg (Rat)  $LD_{50} > 3160 \text{ mg/kg}$  (Rat) Diphenylamine LD<sub>50</sub> 600 mg/kg (Rat - male) ATE (Cat 3) ATE (Cat 3) N,N-bis(2-ethylhexyl)-((1,2,4-triazol-1-yl)methyl)amine LD<sub>50</sub> 2356 mg/kg bw (Rat –OECD 401)  $LD_{50} > 2000 \text{ mg/kg}$  (Rat –OECD 402) Not classified as a sensitiser, carcinogen or mutagen and does not present any known or suspected reproductive hazards.

# **Potential Health Effects**

# Inhalation:

**Short Term Exposure:** Available data indicates that this product is not harmful. In addition product is unlikely to cause any discomfort or irritation.

Long Term Exposure: No data for health effects associated with long term inhalation.

# Skin Contact:

**Short Term Exposure:** Available data indicates that this product is not harmful. It should present no hazards in normal use. However product may be irritating, but is unlikely to cause anything more than mild transient discomfort. **Long Term Exposure:** No data for health effects associated with long term skin exposure.

# Eye Contact:

**Short Term Exposure:** This product may be irritating to eyes, but is unlikely to cause anything more than mild transient discomfort.

Long Term Exposure: No data for health effects associated with long term eye exposure.

# Ingestion:

**Short Term Exposure:** Significant oral exposure is considered to be unlikely. However, this product may be irritating to mucous membranes but is unlikely to cause anything more than transient discomfort.

Long Term Exposure: No data for health effects associated with long term ingestion.

# **Carcinogen Status:**

**SWA:** No significant ingredient is classified as carcinogenic by SWA.

**NTP:** No significant ingredient is classified as carcinogenic by NTP.

IARC: No significant ingredient is classified as carcinogenic by IARC.

# **Section 12 - Ecological Information**

This product is harmful to aquatic organisms. This product is biodegradable. It will not accumulate in the soil or water or cause long term problems. This product is unlikely to be mobile in soils.

# Distillates (petroleum), hydrotreated heavy paraffinic

Fish: LL<sub>50</sub> (96hr) Oncorhynchus mykiss (rainbow trout): >100mg/L (OECD 203)

Algae: EL<sub>50</sub> (48hr) *Pseudokirchneriella subcapitata* >100mg/L (OECD 201)

# Issued by: Total Oil Australia Pty Ltd

Phone: +61 (03) 9861 8600

**Daphnia:** EL<sub>50</sub> (48hr) >10,000mg/L ((OECD 202) NOEL (14/28d) > 1000 mg/L (*Oncorhynchus mykiss* (rainbow trout) - QSAR Petrotox)

## Phenol, dodecyl-, branched

EbC<sub>50</sub> (72h) 0.15 mg/L (Scenedesmus subspicatus - OECD 201)

EC<sub>50</sub>(48h) 0.037 mg/L (Daphnia magna - static - OECD 202)

EL<sub>50</sub>(96h) 40 mg/L Pimephales promelas semi-static (OECD 203)

## Diphenylamine

 $EC_{50}$  (72h) = 1.51 mg/L (Algae)  $EC_{50}$  (48h) 0.31 mg/L (Cladocère)  $LC_{50}$  (48h) 2.2 mg/L EC50 = 4.77 mg/L 30 min  $EC_{50}$  = 2.81 mg/L 5 min  $EC_{50}$  = 3.46 mg/L 15 min

## N,N-bis(2-ethylhexyl)-((1,2,4-triazol-1-yl)methyl)amine

EC<sub>50</sub>(72h) 0.66 mg/l (*Desmodesmus subspicatus* - static - OECD201) LC<sub>50</sub>(96h) 1.1 mg/l (*Danio rerio* - static - OECD203) **Mobility:** 

- Soil Given its physical and chemical characteristics, the product generally shows low soil mobility.
- Air Loss by evaporation is limited.
- Water Insoluble. The product spreads on the surface of the water.

## **Section 13 - Disposal Considerations**

**Disposal:** This product may be recycled if unused, or if it has not been contaminated so as to make it unsuitable for its intended use. If it has been contaminated, it may be possible to reclaim the product by filtration, distillation or some other means. If neither of these options is suitable, consider controlled incineration, or landfill.

# **Section 14 - Transport Information**

## <u>Australia</u>

**UN Number:** This product is not classified as a Dangerous Good by ADG, IATA or IMDG/IMSBC criteria. No special transport conditions are necessary unless required by other regulations.

#### New Zealand

Classified as not a Dangerous Goods for transport in accordance with the Land Transport Rule Dangerous Goods 2005 and NZS 5433:2007.

# Section 15 - Regulatory Information

**AICS:** All of the significant ingredients in this formulation are compliant with NICNAS regulations. The following ingredient: Distillates (petroleum), hydrotreated heavy paraffinic, is mentioned in the SUSMP. **New Zealand:** No group standard applies.

## Section 16 - Other Information

#### This SDS contains only safety-related information. For other data see product literature.

Acronyms:		
ADG Code	Australian Code for the Transport of Dangerous Goods by Road and Rail (7 <sup>th</sup> edition)	
AICS	Australian Inventory of Chemical Substances	
SWA	Safe Work Australia, formerly ASCC and NOHSC	
CAS number	Chemical Abstracts Service Registry Number	
Hazchem Code	Emergency action code of numbers and letters that provide information to emergency services especially firefighters	
IARC	International Agency for Research on Cancer	
NOS	Not otherwise specified	
NTP	National Toxicology Program (USA)	
R-Phrase	Risk Phrase	
SUSMP	Standard for the Uniform Scheduling of Medicines & Poisons	
UN Number	United Nations Number	
THIS SDS SUMMARISES OUR BEST KNOWLEDGE OF THE HEALTH AND SAFETY HAZARD STATEMENT: INFORMATION OF THE PRODUCT AND HOW TO SAFELY HANDLE AND USE THE PRODUCT IN THE WORKPLACE. EACH USER MUST REVIEW THIS SDS IN THE CONTEXT OF HOW THE PRODUCT WILL BE HANDLED AND USED IN THE WORKPLACE.		
	INFORMATION IS NEEDED TO ENSURE THAT AN APPROPRIATE RISK ASSESSMENT CAN BE MADE, HIS COMPANY SO WE CAN ATTEMPT TO OBTAIN ADDITIONAL INFORMATION FROM OUR SUPPLIERS	
OUR RESPONSIBILITY FOR PRO	DUCTS SOLD IS SUBJECT TO OUR STANDARD TERMS AND CONDITIONS, A COPY OF WHICH IS SENT	

# Issued by: Total Oil Australia Pty Ltd

Phone: +61 (03) 9861 8600

Please read all labels carefully before using product.

## Australia:

This SDS is prepared in accord with the SWA document "Preparation of Safety Data Sheets for Hazardous Chemicals - Code of Practice" (December 2011)

#### New Zealand:

HSNO Approved Code of Practice: Preparation of Safety Data Sheets. New Zealand Chemical Industry Council September 2006.