

000003000494

Version 3.0

Revision Date 2015/07/29

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name	: PRODURO ^{TM/MC} TO-4 ⁺ 30
Product code	: PD430P5R, PD430P20, PD430ICT, PD430IBC, PD430DRR, PD430DRM, PD430DCT, PD430, PD430BLK

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the	:	Multipurpose transmission, hydraulic, wet brake and final drive
Substance/Mixture		fluids intended for use where Caterpillar TO-4 quality oils are
		recommended.

1.3 Details of the supplier of the safety data sheet

Manufacturer or supplier's details	Petro-Canada Europe Lubricants Limited Wellington House, Starley Way Birmingham International Park Solihull B37 7HB United Kingdom
E-mail address of person : responsible for the SDS	EUSDS@suncor.com

1.4 Emergency telephone number

Emergency telephone	:	Suncor Energy: +1 403-296-3000;
number		Poison Control Centre: Consult local telephone directory for
		emergency number(s).

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

Classification (67/548/EEC, 1999/45/EC)

Not a hazardous substance or mixture.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.



000003000494

Version 3.0

Revision Date 2015/07/29

Additional Labelling:

EUH208May produce an allergic reaction.EUH210Safety data sheet available on request.Contains: Benzene, polypropene derivatives, sulfonated, calcium salts

2.3 Other hazards

None known.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous components

Chemical Name	CAS-No. EC-No. Registration number	Classification (67/548/EEC)	Classification (REGULATION (EC) No 1272/2008)	Concentration (%)
distillates (petroleum), hydrotreated heavy paraffinic	64742-54-7 265-157-1 01- 2119484627- 25-0055		Asp. Tox. 1; H304	20 - 30
zinc bis[bis(tetrapropylenep henyl)] bis(hydrogen dithiophosphate)	11059-65-7 234-277-6	R52/53	Aquatic Chronic 3; H412	1 - 2.5
Mineral oil			Asp. Tox. 1; H304	1 - 10

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

If inhaled	: Move to fresh air. Artificial respiration and/or oxygen may be necessary. Seek medical advice.
In case of skin contact	 In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognized skin cleanser. Wash clothing before reuse. Seek medical advice.



000003000494

Version 3.0	Revision Date 2015/07/29	Print Date 2015/07/29
In case of eye contact	 Remove contact lenses. Rinse immediately with plenty of wat for at least 15 minutes. Obtain medical attention. 	er, also under the eyelids,
If swallowed	 Rinse mouth with water. DO NOT induce vomiting unless dire physician or poison control center. Never give anything by mouth to an Seek medical advice. 	-
1 2 Most important symptoms a	and offects, both acute and delayed	

4.2 Most important symptoms and effects, both acute and delayed

Risks :	First aider needs to protect himself.
---------	---------------------------------------

4.3 Indication of any immediate medical attention and special treatment needed

SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing me	edia : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	
5.2 Special hazards arising	from the substance or mixture
Specific hazards during firefighting	: Cool closed containers exposed to fire with water spray.
Hazardous combustion products	: Carbon oxides (CO, CO2), nitrogen oxides (NOx), sulphur oxides (SOx), phosphorus oxides (POx), calcium oxides (CaOx), zinc oxides (ZnOx), aldehydes, ketones, smoke and irritating vapours as products of incomplete combustion.
5.3 Advice for firefighters	
Further information	 Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	: Use personal protective equipment.
	Ensure adequate ventilation.
	Evacuate personnel to safe areas.
	Material can create slippery conditions.
	Mark the contaminated area with signs and prevent access to

000003000494



0000000404		
Version 3.0	Revision Date 2015/07/29	Print Date 2015/07/29
	unauthorized personnel.	
	Only qualified personnel equipped w equipment may intervene.	ith suitable protective
6.2 Environmental precautions		
Environmental precautions	: Do not allow uncontrolled discharge environment.	of product into the
6.3 Methods and material for con	tainment and cleaning up	
Methods for cleaning up	: Prevent further leakage or spillage if	safe to do so.
	Remove all sources of ignition.	
	Soak up with inert absorbent materia	ıl.
	Non-sparking tools should be used.	
	Ensure adequate ventilation.	
	Contact the proper local authorities.	

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	 For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Use only with adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Avoid contact with skin, eyes and clothing. Do not ingest. Keep away from heat and sources of ignition. Keep container closed when not in use.
Advice on protection against fire and explosion	: None known.
Hygiene measures	: Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash face, hands and any exposed skin thoroughly after handling.
7.2 Conditions for safe storage	, including any incompatibilities

Requirements for storage areas and containers : Store in original container. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Keep in a dry, cool and well-ventilated place. Keep in properly labelled containers. To maintain product quality, do not store in heat or direct sunlight.



000003000494

Version 3.0

Revision Date 2015/07/29

7.3 Specific end use(s)

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

8.2 Exposure controls

Engineering measures

No special ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Personal protective equipmen	t
Eye protection	Wear face-shield and protective suit for abnormal processing problems.
Hand protection Material	neoprene, nitrile, polyvinyl alcohol (PVA), Viton(R).
Remarks	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Skin and body protection	Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.
Respiratory protection	Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.
Filter type	organic vapour filter
Protective measures	Wash contaminated clothing before re-use. No special protective equipment required.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	:	viscous liquid
Colour	:	amber
Odour	:	Hydrocarbon.
Odour Threshold	:	No data available

Internet: lubricants.petro-canada.ca/msds Petro-Canada is a Suncor Energy business.



000003000494

Version 3.0	Revis	on Date 2015/07/29	Print Date 2015/07/29
-11	N.a. alad		
pH		a available	
Pour point		(-17 °F)	
		a available	
Flash point		; (498 °F) d: Cleveland open cup	
Fire Point	No dat	a available	
Auto-Ignition Temperature	No dat	a available	
Evaporation rate	No dat	a available	
Flammability (solid, gas)	Low fir will oc	e hazard. This material must be heat cur.	ed before ignition
Upper explosion limit	No dat	a available	
Lower explosion limit	No dat	a available	
Vapour pressure	No dat	a available	
Relative vapour density	No dat	a available	
Density	0.873	kg/l (15 °C / 59 °F)	
Solubility(ies)			
Water solubility	insolut	ble	
Partition coefficient: n- octanol/water	No dat	a available	
Viscosity			
Viscosity, kinematic	88.5 c	St (40 °C / 104 °F)	
	11.01	cSt (100 °C / 212 °F)	
Explosive properties		pressurise, cut, weld, braze, solder, e containers to heat or sources of ign	
9.2 Other information			
No data available			

SECTION 10: Stability and reactivity

10.1 Reactivity

10.2 Chemical stability

10.3 Possibility of hazardous reactions

Hazardous reactions Internet: lubricants.petro-canada.ca/msds Petro-Canada is a Suncor Energy business.

: Hazardous polymerisation does not occur.



000003000494

Version 3.0	Revision Date 2015/07/29	Print Date 2015/07/29		
	Stable under normal conditions.			
10.4 Conditions to avoid				
Conditions to avoid	: No data available			
10.5 Incompatible materials				
Materials to avoid	: Reactive with acids, alkalis and oxidi	ising agents.		
10.6 Hazardous decomposition products				
Hazardous decomposition products	 May release COx, SOx, NOx, H2S, F asphyxiants, methacrylate monomer mercaptans, sulfides, metal oxides, s vapours when heated to decomposit 	s, aldehydes, alkyl smoke and irritating		

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Information on likely routes of	:	Eye contact
exposure		Ingestion
		Inhalation
		Skin contact

Acute toxicity

Product:	
Acute oral toxicity	: Remarks: No data available
Acute inhalation toxicity	: Remarks: No data available
Acute dermal toxicity	: Remarks: No data available

Skin corrosion/irritation

Product:

Remarks: No data available

Serious eye damage/eye irritation

Product:

Remarks: No data available

Respiratory or skin sensitisation

No data available

Germ cell mutagenicity

Internet: lubricants.petro-canada.ca/msds Petro-Canada is a Suncor Energy business.



000003000494

Version 3.0

Revision Date 2015/07/29

Print Date 2015/07/29

No data available

Carcinogenicity

No data available

Reproductive toxicity

No data available

STOT - single exposure

No data available

STOT - repeated exposure

No data available

Aspiration toxicity

No data available

SECTION 12: Ecological information

12.1 Toxicity

Product:	
Toxicity to fish	: Remarks: No data available
Toxicity to daphnia and other aquatic invertebrates	: Remarks: No data available
Toxicity to algae	: Remarks: No data available
Toxicity to bacteria	: Remarks: No data available

12.2 Persistence and degradability

Product:

Biodegradability : Remarks: No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Not relevant



Version 3.0

Print Date 2015/07/29

12.6 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

The product should not be allowed to enter drains, water courses or the soil.
Offer surplus and non-recyclable solutions to a licensed disposal company.
Waste must be classified and labelled prior to recycling or disposal.
Send to a licensed waste management company.
Dispose of as hazardous waste in compliance with local and national regulations.
Dispose of product residue in accordance with the instructions of the person responsible for waste disposal.

SECTION 14: Transport information

International Regulation

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

49 CFR

Not regulated as a dangerous good **TDG** Not regulated as a dangerous good

Special precautions for user

Not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Water contaminating class : WGK 2 water endangering (Germany)

The components of this product are reported in the following inventories:

Internet: lubricants.petro-canada.ca/msds Petro-Canada is a Suncor Energy business.



000003000494

Version 3.0	Revision Date 2015/07/29	Print Date 2015/07/29
DSL	: On the inventory, or in compliance with the	inventory
TSCA	: All chemical substances in this product are TSCA Inventory or are in compliance with a exemption.	
IECSC	: On the inventory, or in compliance with the	inventory
EINECS	: On the inventory, or in compliance with the	inventory

15.2 Chemical Safety Assessment

SECTION 16: Other information

Full text of R-Phrases		
R52/53	:	Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
Full text of H-Statements		
H304	:	May be fatal if swallowed and enters airways.
H412	:	Harmful to aquatic life with long lasting effects.
Full text of other abbreviatio	ns	
Aquatic Chronic		Chronic aquatic toxicity
Asp. Tox.	:	Aspiration hazard
For Copy of (M)SDS		Internet: lubricants.petro-canada.ca/msds
	•	Europe, telephone: 00-800-7387-6000
		For Product Safety Information: 1 905-804-4752
Prepared by	:	Product Safety: +1 905-804-4752

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.