SAFETY DATA SHEET



Section 1. Identification

Product name	Castrol EDGE Professional 5W-20			
SDS #	467721			
Code	467721-US12			
Relevant identified uses of	the substance or mixture and uses advised against			
Product use	Engine Oils. For specific application advice see appropriate Technical Data Sheet or consult our company representative.			
Supplier	BP Lubricants USA Inc. 1500 Valley Road Wayne, NJ 07470 Telephone: (973) 633-2200			
EMERGENCY HEALTH	1 (800) 447-8735			
	Outside the US: +1 703-527-3887 (CHEMTREC)			
EMERGENCY SPILL INFORMATION:	1 (800) 424-9300 CHEMTREC (USA)			
OTHER PRODUCT INFORMATION	1 (866) 4 BP - MSDS (866-427-6737 Toll Free - North America) email: bpcares@bp.com			

Section 2. Hazards identification

OSHA/HCS status	This material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).	
Classification of the	Not classified.	
substance or mixture		
GHS label elements		
Signal word	No signal word.	
Hazard statements	No known significant effects or critical hazards.	
Precautionary statements		
General	Read label before use. Keep out of reach of children. If medical advice is needed, have product container or label at hand.	
Prevention	Not applicable.	
Response	Not applicable.	
Storage	Not applicable.	
Disposal	Not applicable.	
Hazards not otherwise classified	Defatting to the skin. USED ENGINE OILS Used engine oil may contain hazardous components which have the potential to cause skin cancer. See Toxicological Information, section 11 of this Safety Data Sheet.	

Product name	Castrol EDGE Professional 5W-20		Product code	467721-US12	Page: 1/9
Version 2	Date of issue 07/27/2016.	Format	US	Language	ENGLISH
			(US)		(ENGLISH)

Section 3. Composition/information on ingredients

Chemically modified base oil. Proprietary performance additives.

Substance/mixture Mixture		
Ingredient name	CAS number	%
Base oil - highly refined	Varies - See Key to abbreviations	≥50 - ≤75
Base oil - highly refined	Varies - See Key to abbreviations	≥25 - ≤50
Distillates (petroleum), hydrotreated heavy paraffinic 4-dodecylphenol	64742-54-7 104-43-8	≤3 ≤0.3

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact	In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Eyelids should be held away from the eyeball to ensure thorough rinsing. Check for and remove any contact lenses. Get medical attention.
Skin contact	Wash skin thoroughly with soap and water or use recognized skin cleanser. Remove contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get medical attention if symptoms occur.
Inhalation	If inhaled, remove to fresh air. Get medical attention if symptoms occur.
Ingestion	Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
Protection of first-aiders	No action shall be taken involving any personal risk or without suitable training.

Most important symptoms/effects, acute and delayed

See Section 11 for more detailed information on health effects and symptoms.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician	Treatment should in general be symptomatic and directed to relieving any effects.
Specific treatments	No specific treatment.

Section 5. Fire-fighting measures

Extinguishing media				
Suitable extinguishing media	In case of fire, use foam, dry che	mical or carbon d	ioxide extinguisher or	spray.
Unsuitable extinguishing media	Do not use water jet.			
Specific hazards arising from the chemical	In a fire or if heated, a pressure in	ncrease will occur	and the container ma	ay burst.
Hazardous combustion products	Combustion products may include carbon dioxide carbon monoxide	e the following:		
Special protective actions for fire-fighters	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.			
Special protective equipment for fire-fighters	Fire-fighters should wear positive and full turnout gear.	pressure self-cor	ntained breathing app	oaratus (SCBA)
Product name Castrol EDGE	Professional 5W-20	Product code	467721-US12	Page: 2/9
Version 2 Date of issue 0	7/27/2016. Format	US	Language	ENGLISH
		(US)		(ENGLISH)

Section 6. Accidental release measures

Personal precautions, protectiv	<u>e equipment and emergency procedures</u>			
For non-emergency personnel	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. Floors may be slippery; use care to avoid falling.			
For emergency responders	specialized clothing is required to deal with the spillage, take note of any information in ection 8 on suitable and unsuitable materials. See also the information in "For non-mergency personnel".			
Environmental precautions	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).			
Methods and materials for con	tainment and cleaning up			
Small spill	Stop leak if without risk. Move containers from spill area. Absorb with an inert material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.			
Large spill	Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor.			

Section 7. Handling and storage

Precautions for safe handling	
Protective measures	Put on appropriate personal protective equipment (see Section 8).
Advice on general occupational hygiene	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Wash thoroughly after handling. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Store and use only in equipment/containers designed for use with this product. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.
Not suitable	Prolonged exposure to elevated temperature

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits		
Base oil - highly refined	ACGIH TLV (United States). TWA: 5 mg/m ³ 8 hours. Issued/Revised: 11/2009 Form: Inhalable fraction OSHA PEL (United States). TWA: 5 mg/m ³ 8 hours. Issued/Revised: 6/1993		
Base oil - highly refined	ACGIH TLV (United States). TWA: 5 mg/m ³ 8 hours. Issued/Revised: 11/2009 Form: Inhalable fraction OSHA PEL (United States). TWA: 5 mg/m ³ 8 hours. Issued/Revised: 6/1993		
Product name Castrol EDGE Professional 5W-20	Product code 467721-US12 Page: 3/9		
Version 2 Date of issue 07/27/2016.	Format US Language ENGLISH		
	(US) (ENGLISH)		

Section 8. Exposure controls/personal protection

	ACGIH TLV (United States). TWA: 5 mg/m ³ 8 hours. Issued/Revised: 11/2009 Form: Inhalable fraction OSHA PEL (United States). TWA: 5 mg/m ³ 8 hours. Issued/Revised: 6/1993
4-dodecylphenol	None.

While specific OELs for certain components may be shown in this section, other components may be present in any mist, vapor or dust produced. Therefore, the specific OELs may not be applicable to the product as a whole and are provided for guidance only.

Appropriate engineering controls	exposures are adequate considered after other for suitably evaluated. Pers standards, be suitable for Your supplier of personal selection and appropriat organisation for standar Provide exhaust ventilat concentrations below the The final choice of prote	emicals should be assessed by controlled. Personal pro- forms of control measures (sonal protective equipment or use, be kept in good con- al protective equipment sho te standards. For further in ds. ion or other engineering co- eir respective occupational active equipment will depen- t all items of personal prote	tective equipment sh e.g. engineering cont should conform to a adition and properly m buld be consulted for aformation contact yo ontrols to keep the rel exposure limits. ad upon a risk assess	ould only be trols) have been ppropriate naintained. advice on our national levant airborne sment. It is
Environmental exposure controls	comply with the requirer fume scrubbers, filters c	on or work process equipm nents of environmental pro or engineering modifications issions to acceptable level	tection legislation. Ir sto the process equi	n some cases,
Individual protection measures				
Hygiene measures	Wash hands, forearms a eating, smoking and usi Appropriate techniques	and face thoroughly after h ng the lavatory and at the e should be used to remove thing before reusing. Ensu e workstation location.	end of the working pe potentially contamina	eriod. ated clothing.
Eye/face protection	Safety glasses with side	shields.		
Skin protection				
Hand protection	resistant gloves. Recon depends upon the chem condition of the gloves (repeated chemical expo before they must be disc material handling practio intended application. Glo	if prolonged or repeated co nmended: Nitrile gloves. T nicals being handled, the co even the best chemically re sures). Most gloves provid carded and replaced. Beca ces vary, safety procedures oves should therefore be co a full assessment of the wo	The correct choice of ponditions of work and esistant glove will bre e only a short time of ause specific work er s should be develope hosen in consultation	protective gloves I use, and the eak down after f protection nvironments and ed for each
	Consult your supervisor instructions.	or Standard Operating Pro	ocedure (S.O.P) for s	pecial handling
Body protection	Cotton or polyester/cotto contamination that will n regular basis. When the if there is a risk of splas suits and boots will be re Personal protective equ	g is good industrial practic on overalls will only provide lot soak through to the skin e risk of skin exposure is hi hing) then chemical resista equired. ipment for the body should involved and should be ap	e protection against lig n. Overalls should be igh (e.g. when cleanin int aprons and/or imp be selected based o	e laundered on a ng up spillages or pervious chemical on the task being
Other skin protection	Appropriate footwear an	d any additional skin prote performed and the risks ir ig this product.		
Product name Castrol EDGE	Professional 5W-20	Product code	467721-US12	Page: 4/9
Version 2 Date of issue 07		Format US		e ENGLISH
			Lunguug	

(US)

(ENGLISH)

Section 8. Exposure controls/personal protection

Respiratory protection

In case of insufficient ventilation, wear suitable respiratory equipment. The correct choice of respiratory protection depends upon the chemicals being handled, the conditions of work and use, and the condition of the respiratory equipment. Safety procedures should be developed for each intended application. Respiratory protection equipment should therefore be chosen in consultation with the supplier/manufacturer and with a full assessment of the working conditions.

Section 9. Physical and chemical properties

<u>Appearance</u>	
Physical state	Liquid.
Color	Brown.
Odor	Not available.
Odor threshold	Not available.
рН	Not available.
Melting point	Not available.
Boiling point	Not available.
Flash point	Closed cup: 220°C (428°F) [Pensky-Martens.]
Pour point	≪ -39 °C
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable. Based on - Physical state
Lower and upper explosive (flammable) limits	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Density	<1000 kg/m³ (<1 g/cm³) at 15°C
Solubility	insoluble in water.
Partition coefficient: n- octanol/water	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Kinematic: 49.06 mm²/s (49.06 cSt) at 40°C Kinematic: 8.73 mm²/s (8.73 cSt) at 100°C

Section 10. Stability and reactivity

Reactivity	No specific test data available for this product. Refer to Conditions to avoid and Incompatible materials for additional information.
Chemical stability	The product is stable.
Possibility of hazardous reactions	Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous polymerization will not occur.
Conditions to avoid	Avoid all possible sources of ignition (spark or flame).
Incompatible materials	Reactive or incompatible with the following materials: oxidizing materials.
Hazardous decomposition products	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Product name	Castrol EDGE Professional 5W-20	Product code	467721-US12	Page: 5/9
Version 2	Date of issue 07/27/2016.	Format US	Language	ENGLISH
		(US)		(ENGLISH)

Section 11. Toxicological information

Information on toxicological effects

Aspiration hazard			
Name		Result	
Sase oil - highly refined Distillates (petroleum), hydrotreated heavy paraffinic		ASPIRATION HAZARD - Category 1 ASPIRATION HAZARD - Category 1	
Information on the likely routes of exposure	Routes of entry anticipated: De	rmal, Inhalation.	
Potential acute health effects	<u>.</u>		
Eye contact	No known significant effects or critical hazards.		
Skin contact	No known significant effects or critical hazards.		
Inhalation	Vapor inhalation under ambient conditions is not normally a problem due to low vapor pressure.		
Ingestion	No known significant effects or critical hazards.		
Symptoms related to the phys	sical, chemical and toxicological	characteristics	
Eye contact	No specific data.		
Skin contact	Adverse symptoms may include the following: irritation dryness		
Inholation	cracking		
Inhalation Ingestion	No specific data. No specific data.		
0.000			
Delayed and immediate effect	ts and also chronic effects from	<u>short and long term exposure</u>	
Short term exposure			
Potential immediate	Not available.		
effects			
effects Potential delayed effects	Not available.		
	Not available.		
Potential delayed effects	Not available. Not available.		
Potential delayed effects Long term exposure Potential immediate			
Potential delayed effects Long term exposure Potential immediate effects	Not available. Not available.		
Potential delayed effects Long term exposure Potential immediate effects Potential delayed effects Potential chronic health effe General	Not available. Not available. Ects USED ENGINE OILS Combustion products resulting contaminate engine oils during components which have the po contact with all types and make high standard of personal hygic		
Potential delayed effects Long term exposure Potential immediate effects Potential delayed effects Potential chronic health effe General Carcinogenicity	Not available. Not available. Combustion products resulting contaminate engine oils during components which have the po contact with all types and make high standard of personal hygie No known significant effects or	use. Used engine oil may contain hazardous tential to cause skin cancer. Frequent or prolonged as of used engine oil must therefore be avoided and a ene maintained. critical hazards.	
Potential delayed effects Long term exposure Potential immediate effects Potential delayed effects Potential chronic health effe General Carcinogenicity Mutagenicity	Not available. Not available. USED ENGINE OILS Combustion products resulting contaminate engine oils during components which have the po contact with all types and make high standard of personal hygie No known significant effects or No known significant effects or	use. Used engine oil may contain hazardous tential to cause skin cancer. Frequent or prolonged as of used engine oil must therefore be avoided and a ene maintained. critical hazards. critical hazards.	
Potential delayed effects Long term exposure Potential immediate effects Potential delayed effects Potential chronic health effe General Carcinogenicity Mutagenicity Teratogenicity	Not available. Not available. Ects USED ENGINE OILS Combustion products resulting contaminate engine oils during components which have the po contact with all types and make high standard of personal hygie No known significant effects or No known significant effects or	use. Used engine oil may contain hazardous tential to cause skin cancer. Frequent or prolonged as of used engine oil must therefore be avoided and a ene maintained. critical hazards. critical hazards. critical hazards.	
Potential delayed effects Long term exposure Potential immediate effects Potential delayed effects Potential chronic health effe General Carcinogenicity Mutagenicity	Not available. Not available. USED ENGINE OILS Combustion products resulting contaminate engine oils during components which have the po contact with all types and make high standard of personal hygie No known significant effects or No known significant effects or	use. Used engine oil may contain hazardous tential to cause skin cancer. Frequent or prolonged as of used engine oil must therefore be avoided and a ene maintained. critical hazards. critical hazards. critical hazards.	

Numerical measures of toxicity

Acute toxicity estimates Not available.

 Product name
 Castrol EDGE Professional 5W-20
 Product code
 467721-US12
 Page: 6/9

 Version 2
 Date of issue 07/27/2016.
 Format
 US
 Language
 ENGLISH

 (US)
 (ENGLISH)

Section 12. Ecological information

<u>Toxicity</u>

No testing has been performed by the manufacturer.

Persistence and degradability

Expected to be biodegradable.

Bioaccumulative potential

This product is not expected to bioaccumulate through food chains in the environment.

Mobility in soil	
Soil/water partition coefficient (Koc)	Not available.
Mobility	Spillages may penetrate the soil causing ground water contamination.
Other adverse effects	No known significant effects or critical hazards.
Other ecological information	Spills may form a film on water surfaces causing physical damage to organisms. Oxygen transfer could also be impaired.

Section 13. Disposal considerations

Disposal methods The generation of waste should be avoided or minimized wherever possible. Significant quantities of waste product residues should not be disposed of via the foul sewer but processed in a suitable effluent treatment plant. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information

	DOT Classification	TDG Classification	IMDG	ΙΑΤΑ
UN number	Not regulated.	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-	-
Transport hazard class(es)	-	-	-	-
Packing group	-	-	-	-
Environmental hazards	No.	No.	No.	No.
Additional information	-	-	-	-

Special precautions for user

er Not available.

Not available.

Transport in bulk according to Annex II of MARPOL and the IBC Code

Product nameCastrol EDGE Professional 5W-20Version 2Date of issue 07/27/2016.

Product code 467721-US12 Page: 7/9
Format US Language ENGLISH
(US) (ENGLISH)

Section 15. Regulatory information

U.S. Federal regulations

United States inventory


All components are listed or exempted.

(TSCA 8b) SARA 302/304

Composition/information on ingredients

No products were found.	
<u>SARA 311/312</u>	
Classification	Not applicable.
SARA 313	
Form R - Reporting requirements	This product does not contain any hazardous ingredients at or above regulated thresholds.
Supplier notification	This product does not contain any hazardous ingredients at or above regulated thresholds.
State regulations	
Massachusetts	The following components are listed: OIL MIST, MINERAL; OIL MIST, MINERAL; OIL MIST, MINERAL; OIL MIST, MINERAL
New Jersey	The following components are listed: MINERAL OIL (UNTREATED and MILDLY TREATED); MINERAL OIL (UNTREATED and MILDLY TREATED); MINERAL OIL (UNTREATED and MILDLY TREATED)
Pennsylvania	The following components are listed: MINERAL OIL MIST; MINERAL OIL MIST; MINERAL OIL MIST; MINERAL OIL MIST
California Prop. 65	WARNING: This product contains a chemical known to the State of California to cause cancer. arsenic
	WARNING: This product contains a chemical known to the State of California to cause cancer and birth defects or other reproductive harm. lead; Cadmium (Non-pyrophoric)
Other regulations	
Australia inventory (AICS)	At least one component is not listed.
Canada inventory	At least one component is not listed.
China inventory (IECSC)	At least one component is not listed.
Japan inventory (ENCS)	At least one component is not listed.
Korea inventory (KECI)	RI components are listed or exempted.
Philippines inventory (PICCS)	At least one component is not listed.
Taiwan Chemical Substances Inventory (TCSI)	All components are listed or exempted.
REACH Status	For the REACH status of this product please consult your company contact, as identified in Section 1.

Section 16. Other information



Section 16. Other information

Prepared by	Product Stewardship
Prepared by Key to abbreviations	 Product Stewardship ACGIH = American Conference of Industrial Hygienists ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor CAS Number = Chemical Abstracts Service Registry Number GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = Intermediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) OEL = Occupational Exposure Limit SDS = Safety Data Sheet STEL = Short term exposure limit TWA = Time weighted average UN = United Nations UN Number = United Nations Number, a four digit number assigned by the United Nations Committee of Experts on the Transport of Dangerous Goods. Varies = may contain one or more of the following 101316-69-2, 101316-70-5, 101316-71-6, 101316-72-7, 64741-88-4, 64741-89-5, 64741-95-3, 64741-96-4, 64741-97-5, 64742-01-4, 64742-45-6, 64742-52-5, 64742-53-6, 64742-54-7, 64742-55-8, 64742-55-9, 64742-57-0, 64742-55-1, 64742-63-8, 64742-64-9,
	64742-65-0, 64742-70-7, 72623-85-9, 72623-86-0, 72623-87-1, 74869-22-0, 90669-74-2
Indicates information th	at has changed from previously issued version.

Indicates information that has changed from previously issued version.

Notice to reader

All reasonably practicable steps have been taken to ensure this data sheet and the health, safety and environmental information contained in it is accurate as of the date specified below. No warranty or representation, express or implied is made as to the accuracy or completeness of the data and information in this data sheet.

The data and advice given apply when the product is sold for the stated application or applications. You should not use the product other than for the stated application or applications without seeking advice from BP Group.

It is the user's obligation to evaluate and use this product safely and to comply with all applicable laws and regulations. The BP Group shall not be responsible for any damage or injury resulting from use, other than the stated product use of the material, from any failure to adhere to recommendations, or from any hazards inherent in the nature of the material. Purchasers of the product for supply to a third party for use at work, have a duty to take all necessary steps to ensure that any person handling or using the product is provided with the information in this sheet. Employers have a duty to tell employees and others who may be affected of any hazards described in this sheet and of any precautions that should be taken. You can contact the BP Group to ensure that this document is the most current available. Alteration of this document is strictly prohibited.